



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

### 1. Identification

#### 1.1. Product identifier

**Product Identity** Lub-O-Gard™ "MG"  
**Alternate Names** (MG-50, MG-25)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Intended use** See Technical Data Sheet.  
**Application Method** See Technical Data Sheet.

#### 1.3. Details of the supplier of the safety data sheet

**Company Name** Lub-O-Seal Company Inc.  
17519 Lewis Drive  
Cypress, TX 77433

#### Emergency

**24 hour Emergency Telephone No.** Chemtel:  
North America Toll Free: 1-800-255-3924  
International: +01-813-248-0585  
**Customer Service: Lub-O-Seal Company Inc.** +01-281-373-0387

### 2. Hazard(s) identification

#### 2.1. Classification of the substance or mixture

No applicable GHS categories.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

No applicable GHS categories.

#### **[Prevention]:**

No GHS prevention statements

#### **[Response]:**

No GHS response statements

#### **[Storage]:**

No GHS storage statements

#### **[Disposal]:**

No GHS disposal statements



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

### 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified CAS Number: 0064742-52-5	75 - 100	Asp. Tox. 1;H304	[1]
Graphite CAS Number: 0007782-42-5	1 - 5	Not Classified	[1][2]
Molybdenum Disulfide (>99%) CAS Number: 1317-33-5	1-5	Not Classified	

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard. [2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance. \*The full texts of the phrases are shown in Section 16.

### 4. First aid measures

#### 4.1. Description of first aid measures

<b>General</b>	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
<b>Eyes</b>	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
<b>Skin</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
<b>Ingestion</b>	Induce vomiting until vomit is clear. Seek medical attention

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Overview</b>	<u>Skin:</u> Defatting to the skin. Overexposure can cause irritation and dermatitis. <u>Eyes:</u> Eye irritant. May cause redness, tearing and blurred vision <u>Inhalation:</u> Not expected <u>Ingestion:</u> May cause nausea, vomiting or diarrhea.
-----------------	---

### 5. Fire-fighting measures

#### 5.1. Extinguishing media

Dry chemical, foam, CO<sub>2</sub>, water.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: Carbon monoxide

#### 5.3. Advice for fire-fighters



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

Fire may produce dense smoke, firefighters should wear self contained breathing apparatus.  
Use water to cool fire-exposed containers, containers heated by fire can support combustion

ERG Guide No. ----

### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

#### 6.2. Environmental precautions - Do not allow spills to enter drains or waterways

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

#### 6.3. Methods and material for containment and cleaning up - Mop up or otherwise absorb and hold for disposal.

### 7. Handling and storage

#### 7.1. Precautions for safe handling - Use good personal hygiene practices

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children. Store in a cool, dry location. Do not store near open flame or sparks. Keep container closed during storage.

Incompatible materials: Strong oxidizers, concentrated oxygen.

#### 7.3. Specific end use(s) - For institutional use only.

### 8. Exposure controls and personal protection

#### 8.1. Control parameters

##### Exposure

CAS No.	Ingredient	Source	Value
0007782-42-5	Graphite	OSHA	TWA 15 mg/m <sup>3</sup> TWA 15 mppcf
		ACGIH	TWA: 2 mg/m <sup>3</sup>
		NIOSH	TWA 2.5 mg/m <sup>3</sup> (resp)
		Supplier	No Established Limit
1317-33-5	Molybdenum Disulphide	OSHA	15 mg/m <sup>3</sup> TWA (total dust)
		ACGIH	10 mg/m <sup>3</sup> TWA
		NIOSH	5 mg/m <sup>3</sup> TWA* (Total dust) *soluble compounds as Mo
		Supplier	No Established Limit
0064742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic, base oil	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

	Supplier	No Established Limit
--	----------	----------------------

Contains mineral oil. The exposure limits for oil mist are 5 mg/m<sup>3</sup> OSHA PEL and 10 mg/m<sup>3</sup> ACGIH.

### 8.2. Exposure controls

<b>Respiratory</b>	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
<b>Eyes</b>	Safety glasses or face shield if method of dispensing promotes splashing.
<b>Skin</b>	Safety gloves are recommended.
<b>Engineering Controls</b>	Local exhaust suggested.
<b>Other Work Practices</b>	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

## 9. Physical and chemical properties

<b>Appearance</b>	Dark Gray Paste
<b>Odor</b>	Hydrocarbon
<b>pH</b>	Not Measured
<b>Melting point / freezing point</b>	Not Measured
<b>Initial boiling point and boiling range</b>	600°F
<b>Flash Point</b>	> 450°F (TCC)
<b>Evaporation rate (Ether = 1)</b>	< 1
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Upper/lower flammability or explosive limits</b>	Not Measured
<b>Vapor pressure (Pa)</b>	< 10
<b>Vapor Density</b>	> 1
<b>Specific Gravity</b>	1.01
<b>Solubility in Water</b>	Not Measured
<b>Auto-ignition temperature</b>	Not Measured
<b>Decomposition temperature</b>	Not Measured
<b>Viscosity (cSt)</b>	Not Measured
<b>% Volatile</b>	2.8%
<b>Texture</b>	Buttery with an Oily Texture

### 9.2. Other information

No other relevant information.

## 10. Stability and reactivity

### 10.1. Reactivity



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

Hazardous Polymerization will not occur.

### 10.2. Chemical stability

Stable under normal circumstances.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Excessive heat and open flame.

### 10.5. Incompatible materials

Strong oxidizers, concentrated oxygen.

### 10.6. Hazardous decomposition products

Carbon monoxide

## 11. Toxicological information

### Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified - (64742-52-5)	> 5,000.00, Rat - Category: NA	No data available	No data available	5.70, Rat - Category: NA	No data available
Graphite - (7782-42-5)	No data available	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

### 12. Ecological information

#### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

#### Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Distillates (petroleum), hydrotreated heavy naphthenic; Baseoil-unspecified - (64742-52-5)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Graphite - (7782-42-5)	Not Available	Not Available	Not Available

#### 12.2. Persistence and degradability

There is no data available on the preparation itself.

#### 12.3. Bioaccumulative potential

Not Measured

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

#### 12.6. Other adverse effects

No data available.

### 13. Disposal considerations

#### 13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

### 14. Transport information



## Safety Data Sheet Lub-O-Gard "MG"

Revision Date: 07/1/2015

	<b>DOT (Domestic Surface Transportation)</b>	<b>IMO / IMDG (Ocean Transportation)</b>	<b>ICAO/IATA</b>
<b>14.1. UN number</b>	Not Applicable	Not Regulated	Not Regulated
<b>14.2. UN proper shipping name</b>	Not Regulated	Not Regulated	Not Regulated
<b>14.3. Transport hazard class(es)</b>	<b>DOT Hazard Class:</b> Not Applicable	<b>IMDG:</b> Not Applicable <b>Sub Class:</b> Not Applicable	<b>Air Class:</b> Not Applicable
<b>14.4. Packing group</b>	Not Applicable	Not Applicable	Not Applicable
<b>14.5. Environmental hazards</b>			
<b>IMDG</b>	Marine Pollutant: No		
<b>14.6. Special precautions for user</b>	No further information		

### 15. Regulatory information

<b>Regulatory Overview</b>	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
<b>Toxic Substance Control Act ( TSCA)</b>	All components of this material are either listed or exempt from listing on the TSCA Inventory.
<b>WHMIS Classification</b>	Not Regulated
<b>US EPA Tier II Hazards</b>	<b>Fire:</b> No <b>Sudden Release of Pressure:</b> No <b>Reactive:</b> No <b>Immediate (Acute):</b> No <b>Delayed (Chronic):</b> No

#### **EPCRA 311/312 Chemicals and RQs:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **EPCRA 313 Toxic Chemicals:**

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts

#### **Proposition 65 - Carcinogens (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Developmental Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 - Male Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.



## Safety Data Sheet Lub-O-Gard “MG”

Revision Date: 07/1/2015

**New Jersey RTK Substances (>1%):**

Graphite

**Pennsylvania RTK Substances (>1%):**

Graphite

### 16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

End of Document